


Veeva.




furnitubes
shaping outdoor spaces







Straight & curved modular seating



Celebrate a versatile seating solution.

Born from the need for more cost effective backrests on curved seating the Veeva range offers a dynamic and contemporary solution to outdoor seating.

It looks great standalone whilst working as a modular system.



Why Veeva?

- Add on backrests and armrests
- 2 backrest options (internal or external)
- Modular seating solution
- Manufactured from Recycled steel
- Designed and made by us in the UK
- Create full circles, semi circles and wave designs
- Optional slat orientation - front-to-front or side-to-side

How does it work?

The Veeva range is characterised by the V-shaped supports and heavy duty timbers. It has Two distinct looks: Front to back or side to side. Each particular in aesthetic, cost and function.

Veeva is also available as individual seats and benches and for longer, linear seating runs, simply join these side-by-side.

Both systems come standalone or as a modular system. The sided to side creates linear format. The front to back offers straight and curved layouts.

Overview of the looks

Side-to-side

- Long and chunky slats (3 for the bench and an additional timber for the back)
- Iroko hardwood and Triple process steelwork as standard
- Available as Straight seating
- Simple, elegant and an economical solution



Front-to-back

- Short and chunky slats (12 for the bench and an additional timber for the back)
- Iroko hardwood and Triple process steelwork as standard
- Available as Straight and curved seating
- Dynamic and more versatile, suitable for complex schemes.



Standalone seating.

This is the traditional way of providing seating in public spaces. A standard length module accommodates 3 people. The side to side and front to back both share this feature.




Curved.

This became the inspiration for the Veeva range. Taking the front to back straight seat a curved variation was formed – but importantly the backrest remains straight. This makes backrests on curves more economical.

Curved seats and benches are a great way to visually emphasise landscape features such as trees.


We have defined them with four centerline radii: **1.8, 2.4, 3.0 and 3.6**. They can be used independently, in pairs or multiples to create arcs and wave-forms, or linked to form complete circles. Backrests are optional, both internal and external, explained below.



Backrest on curved.


Seat – internal backrest

Most often used around features such as specimen trees, and ideal for outward-looking situations. The backrest provides a comfortable support for longer term seating.




Seat – external backrest

These seats are often used to focus on a central feature in the landscape or to provide a visually softer alternative to angular corner seating.




Side-to-Side options.

Bench




Seat




Front-to-back options.

Straight bench




Straight seat




Curved options.

Bench




INDEPENDENT, RAD 1.8, 65° SEGMENT	VEERB186
INDEPENDENT, RAD 2.4, 50° SEGMENT	VEERB248
INDEPENDENT, RAD 3.0, 40° SEGMENT	VEERB3010
INDEPENDENT, RAD 3.6, 33° SEGMENT	VEERB3612

Internal seat



INDEPENDENT INTERNAL SEAT, RAD 1.8, 65° SEGMENT	VEERSX186
INDEPENDENT INTERNAL SEAT, RAD 2.4, 50° SEGMENT	VEERSX248
INDEPENDENT INTERNAL SEAT, RAD 3.0, 40° SEGMENT	VEERSX3010
INDEPENDENT INTERNAL SEAT, RAD 3.6, 33° SEGMENT	VEERSX3612

External seat



INDEPENDENT EXTERNAL SEAT, RAD 1.8, 65° SEGMENT	VEERSV186
INDEPENDENT EXTERNAL SEAT, RAD 2.4, 50° SEGMENT	VEERSV248
INDEPENDENT EXTERNAL SEAT, RAD 3.0, 40° SEGMENT	VEERSV3010
INDEPENDENT EXTERNAL SEAT, RAD 3.6, 33° SEGMENT	VEERSV3612




Modularity.



The Veeva range has modularity in mind, allowing for more interesting and complex geometry to be created. The system is broken down into Start, Mid

and End with each module bolting to the support of the former. Layouts can be increased in increments of the Mid module.

Linear modular system



Bench



START MODULE 2035MM

VEEB204S



MID MODULE 1890MM

VEEB189M

END MODULE 1890MM

VEEB189E

Seat



START MODULE 2035MM

VEE204S

MID MODULE 1890MM

VEE189M




END MODULE 1890MM

VEE189E


Front-to-back Modular system.

The Front-to-back is the most flexible range, coming in straight and curved. It allows you to connect straight and

curves to create open geometric layouts, circles, waves and arc seating on schemes.



Straight bench




START MODULE 2035MM

VEEFB204S



MID MODULE 1890MM


VEEFB189M



END MODULE 1890MM

VEEFB189E

Straight seat




START MODULE 2035MM

VEEF204S



MID MODULE 1890MM

VEEF189M




END MODULE 1890MM

VEEF189E


Curved seats & benches.

60° / 1.8m radius, 3 person seat & bench units




	BENCHES	SEATS WITH INTERNAL BACKREST	SEATS WITH EXTERNAL BACKREST
START MODULE 2035MM	VEERB18S	N/A	N/A
MID MODULE 1890MM	VEERB18M	N/A	N/A
END MODULE 1890MM	VEERB18E	N/A	N/A

45° / 2.4m radius, 3 person seat & bench units




	BENCHES	SEATS WITH INTERNAL BACKREST	SEATS WITH EXTERNAL BACKREST
START MODULE 2035MM	VEERB24S	NVEERSX24S	VEERSV24S
MID MODULE 1890MM	VEERB24M	VEERSX24M	VEERSV24M
END MODULE 1890MM	VEERB24E	VEERSX24E	VEERSV24E

36° / 3.0m radius, 3 person seat & bench units



	BENCHES	SEATS WITH INTERNAL BACKREST	SEATS WITH EXTERNAL BACKREST
START MODULE 2035MM	VEERB30S	VEERSX30S	VEERSV30S
MID MODULE 1890MM	VEERB30M	VEERSX30M	VEERSV30M
END MODULE 1890MM	VEERB30E	VEERSX30E	VEERSV30E





30° / 3.6m radius, 3 person seat & bench units









	BENCHES	SEATS WITH INTERNAL BACKREST	SEATS WITH EXTERNAL BACKREST
INDEPENDENT 2035MM	VEERB36I2	VEERSX36I2	VEERSV36I2
START MODULE 2035MM	VEERB36S	VEERSX36S	VEERSV36S
MID MODULE 1890MM	VEERB36M	VEERSX36M	VEERSV36M
END MODULE 1890MM	VEERB36E	VEERSX36E	VEERSV36E

Circle configuration.







Ø3.6M CIRCLE C/L (RADIUS 1.8M)

					
MODULE TYPE	6 X MID	1 X STARTER 3 X MID 1 X END	2 X STARTER 2 X END	4 X INDEPENDENT	3 X INDEPENDENT
SEATS	18 PEOPLE	15 PEOPLE	12 PEOPLE	12 PEOPLE	9 PEOPLE
GAP		1550MM	1550MM	800MM	1550MM







Ø4.8M CIRCLE C/L (RADIUS 2.4M)

						
MODULE TYPE	8 X MID	1 X STARTER 5 X MID 1 X END	2 X STARTER 2 X MID 2 X END	3 X STARTER 3 X END	5 X INDEPENDENT	4 X INDEPENDENT
SEATS	24 PEOPLE	21 PEOPLE	18 PEOPLE	18 PEOPLE	15 PEOPLE	12 PEOPLE
GAP		1650MM	1650MM	1100MM	1000MM	1650MM

Ø6M CIRCLE C/L (RADIUS 3.0M)

						
MODULE TYPE	10 X MID	1 X STARTER 7 X MID 1 X END	2 X STARTER 4 X MID 4 X END	3 X STARTER 3 X END	6 X INDEPENDENT	5 X INDEPENDENT
SEATS	30 PEOPLE	27 PEOPLE	24 PEOPLE	18 PEOPLE	18 PEOPLE	15 PEOPLE
GAP		1770MM	1700MM	2400MM	1150MM	1700MM

Ø7.2M CIRCLE C/L (RADIUS 3.6M)

							
MODULE TYPE	12 X MID	1 X STARTER 9 X MID 1 X END	2 X STARTER 6 X MID 2 X END	3 X STARTER 3 X MID 3 X END	4 X STARTER 4 X END	8 X INDEPENDENT	6 X INDEPENDENT
SEATS	36 PEOPLE	33 PEOPLE	30 PEOPLE	27 PEOPLE	24 PEOPLE	24 PEOPLE	18 PEOPLE
GAP		1750MM	1750MM	1750MM	1750MM	900MM	1750MM

Wave configuration.

C/L RADIUS 1.8M MODULES



MODULE TYPE

1 X STARTER
1 X END

1 X STARTER
2 X MID
1 X END

1 X STARTER
4 X MID
1 X END

SEATS

6 PEOPLE

12 PEOPLE

18 PEOPLE

OVERALL AREA

3850 X 980MM

6670 X 2300MM

7700 X 4100MM

C/L RADIUS 2.4M MODULES



MODULE TYPE

1 X STARTER
1 X END

1 X STARTER
2 X MID
1 X END

1 X STARTER
4 X MID
1 X END

SEATS

6 PEOPLE

12 PEOPLE

18 PEOPLE

OVERALL AREA

3870 X 870MM

7140 X 1910MM

9330 X 3460MM

C/L RADIUS 3.0M MODULES



MODULE TYPE

1 X STARTER
1 X END

1 X STARTER
2 X MID
1 X END

1 X STARTER
4 X MID
1 X END

SEATS

6 PEOPLE

12 PEOPLE

18 PEOPLE

OVERALL AREA

3870 X 790MM

7350 X 1650MM

10110 X 2970MM

C/L RADIUS 3.0M MODULES



MODULE TYPE

1 X STARTER
1 X END

1 X STARTER
2 X MID
1 X END

1 X STARTER
4 X MID
1 X END

SEATS

6 PEOPLE

12 PEOPLE

18 PEOPLE

OVERALL AREA

3870 X 750MM

7450 X 1460MM


10540 X 2610MM

Accessories.

Armrests

Armrests define individual seating spaces and are particularly useful to less able-bodied people as an aid to lowering onto and alighting from a seat.

- Armrest(s) in triple process coated (PPC) finish
- Steelwork in polyester powder coated finish to any RAL colour reference
- Timbers with UV protective finish




ARMREST CODES

SIDE-TO-SIDE ARM

VEE-ARM

FRONT-TO-BACK ARM

VEE-ARM-F






Installation.

We pre-drill every Veeva steel support with 2 no. holes suitable for M10 ground fixings (not supplied).

The internal spaces between the side plates of the supports are shown below. If there is insufficient space to use a spanner or socket to tighten a fixings, we suggest that a stud is pre-fixed to the underside of the support, which can then be set into a concrete foundation block or a cored hole in the paving.


Plan views



Pre-fixing a stud

Insert stud through support fixing hole and hand tighten the top nut.

Tighten locking nut onto stud on underside of support, holding top nut with a spanner to prevent rotation.




Case studies.

Some of our recent projects where you can see Veeva in its full glory



**One Palace Road,
Streatham Hill, London**
Contractor: Greenside
Landscapes

Case studies.



**Dartford
Grammar School, Kent**
Client: Dartford
Grammar School

Why Furnitubes.

- **Made in the UK**

our factory is based in Kent, so expect faster leadtimes and no supply chain delays

- **Easy to maintain + low labour costs**

we make sure that fixing points are easily accessible so slats and brackets can be changed easily when damaged

- **Modular solutions**

our ranges are modular and customisable, seating and planters can be easily combined, be creative without blowing the budget

- **Our approach**

we take a considered approach to design, it's not just about the end product. We take everything in the process into consideration, we are collaborative and we are committed to producing products that improve our environment & keep people safe.




Our Process.

- **Get in touch** – it's as simple as that, give us a call or drop us an email, we're happy to help whatever the medium!

- **Collaborate** – Depending on your needs, you might not actually need us at this stage, that's the beauty of our modular ranges – they're designed with you in mind, so you can specify with ease. Nevertheless, we are here for you if you do – our design team are always on hand to discuss the nitty gritty of your project.

- **Specification** – This is where our team of experts take the wheel and help you with sketches, CADs and more to help you specify our products as easily as possible.

- **Production + delivery** – all of our products are designed and manufactured in the UK allowing us to give you shorter lead times. With a dedicated project manager keeping you in the loop, you can trust everything is in hand.






Furnitubes



Furnitubes



Furnitubes International UK



furnitubes
shaping outdoor spaces

T: +44 (0)20 8378 3200
E: sales@furnitubes.com
www.furnitubes.com